

AQUACRAFT™

Models




SUPERVEE 27™ BRUSHLESS




Brushless benefits for FE class racing!

The SuperVee 27 takes advantage of brushless motor technology, resulting in a worthy competitor for Fast Electric (FE) events. But even though it's capable of insane speed and performance, the SuperVee 27 Brushless is easy enough for beginners — and it comes completely assembled, so you're just minutes away from exciting offshore action!

- Smooth, precise control is courtesy of a quality AquaCraft 2-channel pistol radio made by Futaba®.
- The hull is crafted from hand-laid fiberglass and painted in one of six dazzling colors.
- High-performance GrimRacer™ hardware can be found throughout.



The powerful B36-56 brushless marine motor offers high efficiency, long run times, low maintenance — and is water-cooled by a silicon jacket.



The brushless ESC is not only waterproof, it's also water-cooled by an anodized aluminum jacket — and the pre-wired plugs are Dean's® Ultra plugs.



This convenient combo contains two 7.2V 2000mAh NiMH batteries and a Dual Peak Output DC charger, and is ideal for use with the SuperVee 27. Charge two packs at the same time! HCAP9954

AQUB17**
LENGTH: 27 in (686 mm)
WIDTH: 8.13 in (205 mm)
HEIGHT: 5.5 in (140 mm)
RTR WEIGHT (w/o batteries): 4.5 lb (204 g)
INCLUDES: AquaCraft 2-channel radio w/1 servo, AquaCraft B36-56 brushless motor, 45A brushless ESC
REQUIRES: 8 "AA" batteries, (2) 6-cell batteries w/Dean's® Ultra connectors, charger



AQUB10**
LENGTH: 24 in (610 mm)
WIDTH: 8.75 in (220 mm)
INCLUDES: 2-channel AquaCraft pistol radio, boat stand
REQUIRES: 8 "AA" batteries, 6-7 cell battery, charger

The easy way to "nail" fast racing fun!

Hitting the water for all-out excitement doesn't get any simpler than the Hammer EP! There's no assembly or finishing left to do, and the motor, radio and on-board electronics are all included and preinstalled. Even experienced skippers will enjoy this sleek deep vee!

- The 550-sized motor is factory-installed, with a water jacket that helps prevent overheating.
- The waterproof radio compartment features a screw-down cover for easy access.
- Choose from six different eye-catching hull colors, each keyed to a different frequency!



Adjustable trim tabs fine-tune the smooth handling provided by the durable nylon prop and rudder. Chine rails on the low-draw hull improve water flow.

Mini Rio™



Superboat thrills – “race anywhere” size!

The Mini Rio takes small scale boat racing to a new level with looks as sharp as its performance! This model is right at home in smaller bodies of water, and it's ready for action right out of the box. Boaters of all skill levels will appreciate the Mini Rio's quality features!

- Ready-To-Run construction means you'll be out on the water having fun almost immediately!
- Enjoy quick response and “turn-on-a-dime” handling — even at top speeds.
- The factory-installed 380-size motor is water-cooled for greater efficiency.



With its Dual Wedge rudder steering and Micro Flex drive system included and installed, the Mini Rio handles with authority. The high-quality components keep you in the action with little maintenance required.



Choose from four different colors and radio frequencies!

AQUB15**
LENGTH: 14.25 in (362 mm)
WIDTH: 4.75 in (108 mm)
INCLUDES: AquaCraft 2-channel FM pistol radio w/1 mini servo, 380-size motor, ESC, 7.2V 1100mAh NiMH battery, charger
REQUIRES: 8 “AA” batteries

REEF RACER 2™



Built for non-stop offshore fun!

Compact size and amazing maneuverability make the Reef Racer 2 perfect for ponds and small lakes! It comes complete and ready to run — even the decals are pre-applied and the driver figure pre-painted. It's easy enough for first-timers, and fun for everyone!

- Features a 2-channel pistol radio that can be converted from right-hand to left-hand use; a NiMH battery and charger are also included.
- Easily removable watertight covers on the durable vee-shaped hull protect on-board electronics.
- A powerful, water-cooled 380-size electric motor delivers high-speed action.

AQUB14**
LENGTH: 15 in (380 mm)
WIDTH: 5.3 in (145 mm)
INCLUDES: 2-channel pistol radio w/1 mini servo, ESC, 7.2V 1100mAh NiMH battery, 12V field charger
REQUIRES: 8 “AA” batteries

With the Reef Racer 2's unique self-righting hull design, the action never stops!



NITRO SUPERVEE 27™



AQUB22**
LENGTH: 27 in (686 mm)
WIDTH: 8.13 in (205 mm)
RTR WEIGHT: 3.4 lb (1545 g)
INCLUDES: AquaCraft 2-channel pistol radio w/2 servos, AquaCraft .18 engine w/tuned pipe
REQUIRES: nitro boat fuel, fuel bottle, glow plug igniter, 12 "AA" batteries

A sleek SuperVee profile...with NITRO power!

Even with its .18-size engine delivering awesome speed and performance, the SuperVee 27 Nitro offers easy handling for any racer wanting thrilling offshore adventure. Just fuel it up, add batteries and start heating up the water with top-notch components not often found on a ready-to-run model!


- The O.S.®-engineered engine is large and powerful, and the radio from Futaba® delivers precise control and comes with two servos.
- A screw-on lid on the easy-access fuel tank eliminates the need for a fuel pump.
- The ingenious GrimRacer Cowl Lock system quickly secures the hatch — with no loose parts to misplace.



A water pickup channels cooling water to the engine and header, dissipating heat buildup inside the hull and extending the life of the exhaust coupler.



Only the finest materials are used on this model, including aluminum for the Surface Drive struts, deep-water rudder and adjustable turn fin. Stainless steel trim plates resist rust and won't flex in the water.



AquaCraft engineers spend extra time to ensure that components are laid out for easy accessibility and top-notch performance.

NITRO HAMMER™



AQUB26**
LENGTH: 24 in (610 mm)
WIDTH: 8.75 in (220 mm)
INCLUDES: 2-channel pistol radio, AquaCraft .15 marine engine w/tuned pipe, engine video, stand
REQUIRES: nitro boat fuel, glow starter, 12 "AA" batteries

Strike hard, fast and super-easy!

In almost no time at all you can be ruling the waves with a streamlined deep vee that's big on fun AND features. The Nitro Hammer offers the convenience that beginners need, with speeds that make it exciting to drive!

- Virtually everything required is included — and virtually everything that's included is assembled and/or installed.
- The 2-channel pistol radio has many hobby-quality features.
- Twin cockpits add to the Nitro Hammer's realistic deep vee racer looks.



The AquaCraft .15 marine engine includes a tuned pipe for even more high-powered performance.

U-18 MISS VEGAS™

**2007 Sport 20
Hydro National
Champion!**
(with O.S. .21 engine)



AQUB32**
LENGTH: 30 in (760 mm)
WIDTH: 13.75 in (350 mm)
WEIGHT: 4.5 lb (2270 g)
INCLUDES: AquaCraft 2-channel radio, AquaCraft
 .18 marine engine w/tuned pipe
REQUIRES: glow fuel, 12 "AA" batteries

The hottest hydro around!

Designed by a boat racing legend, the U-18 Miss Vegas leaves all .15-powered competition in its wake! The AquaCraft .18 power plant features a tuned pipe, header and water-cooled head. And being ready-to-run means you don't have to be an experienced boater to start enjoying all-out racing action!

- Amazingly complete — requires only "AA" batteries, glow fuel and starting equipment.
- The design of the hull leaves room for the preinstalled flotation, reinforcing formers — and for making adjustments and maintenance a breeze.
- The stainless steel turn fin and aluminum rudder offer maximum strength with minimum weight.
- A rubber seal on the radio box's lid keeps the battery and onboard gear safe and dry, and doesn't require removal when turning on the receiver.



The factory-installed strut assembly is fully adjustable to fine-tune handling for different water conditions.

TOP SPEED 2™

**2005, 2006, 2007
20-Tunnel National
Champion!**



AQUB0001 White
AQUB0002 Yellow
AQUB0003 Red
AQUB0004 Orange
LENGTH: 30 in (762 mm)
WIDTH: 11.5 in (292 mm)
WEIGHT: 2.13 lb (964 g)
INCLUDES: boat stand,
 rigging hardware
REQUIRES: 2-channel radio
 w/2 servos, .21 outboard
 engine

Tops in looks, performance and ease!

Don't let the scale appearance of the Top Speed 2 fool you: this Almost-Ready-to-Run tunnel hull boasts step-by-step assembly that makes it simple enough for any boat modeler! Simply install your choice of engine and radio — everything else is supplied. And like the name implies, the Top Speed 2 is a serious competitor that's super-fast!

- Based on a record-holding, race-winning design by multi-national champion Jerry Dunlap.
- The custom 3-channel radio box is waterproof, prefinished — and allows for an optional 3rd servo to be installed for onboard fuel mixture control.
- The waterproof, fuel-proof boat stand that's included doubles as a set-up board and starting station.



The innovative sponsons feature strakes that control water deflection for added stability. Water breaks channel water away from the hull for better acceleration and top end performance.

RIO 51™



AQUB43**

LENGTH: 51.5 in (1308 mm)

WIDTH: 13.5 in (343 mm)

WEIGHT: 13.75 lb (6.4 kg)

INCLUDES: Tactic™ 2-channel FM radio w/2

servos, Fuji-Imvac™ 28 cc gasoline engine

REQUIRES: regular gasoline, 2-cycle oil, cable oil, 12 "AA" batteries


Gas boating action that's as easy as it is enormous!

Offshore racing fun doesn't get any bigger than the Rio 51! With an overall length of almost 5 feet, this Superboat is nearly large-as-life. And besides being ready-to-run and well equipped, the Rio 51 offers "gas-n-go" convenience that makes it a real winner — regardless of skill level!

- Confident handling is courtesy of a black anodized aluminum rudder and turn fins and sturdy stainless steel trim plates.
- On-board radio components arrive mounted securely inside a water-tight compartment.



Precision-cast from copper-beryllium-titanium, the included GrimRacer metal prop won't flex or shear, and needs no balancing or sharpening. The black-anodized aluminum surface drive system is designed for low maintenance and efficient power.




The engine's custom-tuned 2-stroke "quiet" pipe reduces noise levels to approximately 80db — making the Rio 51 the most welcome boat of its kind at any lake or pond.



Designed for fast, easy fueling, the Rio 51's fuel tank provides uninterrupted run times of up to 30 minutes. An oil tank automatically lubricates the 1/4" flex cable drive system.



Loaded with high-quality GrimRacer parts for performance and durability!



FUJI-IMVAC™

The powerful marine engine uses economical regular gasoline and 2-cycle oil, starts easily with its recoil starter, requires no special equipment and is water-cooled for consistent performance and extended engine life.



TACTIC™

FM operation offers solid signal reception, and this system comes with a high-torque rudder servo in addition to a standard throttle servo.



Available in three pre-painted, pre-decaled color schemes, each keyed to a different radio frequency.

ATLANTIC HARBOR TUGBOAT



AQUB59**
LENGTH: 30.3 in (770 mm)
WIDTH: 9.8 in (250 mm)
HEIGHT: 19 in (485 mm)
INCLUDES: AquaCraft
 2-channel radio w/standard
 servo, ESC, 550-size motor,
 boat stand
REQUIRES: 6-7 cell NiCd
 or NiMH battery, charger,
 10 "AA" batteries

Incredible detail in a ready-to-run tugboat model!

- No building, finishing or painting required — the hull is fiberglass and the cabin is one piece.
- A 550 motor, ESC and direct drive system combine for smooth, powerful maneuvering in both forward and reverse.
- With its many scale touches and custom stand, this tug is as impressive on display as it is on the water!

BRISTOL BAY



A ready-to-run fishing boat that's very realistic!

- Cloth sails and a wood deck help capture the look and feel of an authentic working fishing vessel.
- Fully rigged — just install the masts and connect the sail line couplers.
- Powered by a direct-drive 550 motor, with a large rudder for easy maneuvering.

AQUB60**
LENGTH: 33.5 in (851 mm)
WIDTH: 8.75 in (222 mm)
HEIGHT: 29 in (737 mm)
INCLUDES: AquaCraft
 2-channel radio w/1
 standard servo, ESC,
 550-size motor, boat stand
REQUIRES: 6-7 cell 7.2V
 NiCd or NiMH battery,
 charger, 10 "AA" batteries

King's Ransom™ Pirate Ship



AQUB58**
LENGTH: 40.5 in (1029 mm)
WIDTH: 10.5 in (267 mm)
HEIGHT: 42 in (1067 mm)
RTR WEIGHT: 10 lb (4.67 kg)
INCLUDES: AquaCraft
 2-channel radio w/1 servo,
 550-size motor, 2 boat stands
REQUIRES: 6-7 cell NiCd or
 NiMH battery, charger, 8 "AA"
 batteries

Pillage the high seas with this unique RTR pirate ship!

- Superb detail is evident throughout, right down to the crow's nest, walk plank and 4 painted pirate figures.
- Polycarbonate strips inserted into sleeves give the sails a "wind blown" appearance for display; removing the strips and attaching the running keel quickly convert the King's Ransom for taking out on the water.

PARADISE™



AQUB01**
LENGTH: 26 in (660 mm)
WIDTH: 5.3 in (135 mm)
HEIGHT: 50.5 in (1283 mm)
WEIGHT: 3 lb (1360 g)
INCLUDES: AquaCraft
 2-channel 2-stick radio w/
 servos, boat stand
REQUIRES: 12 "AA" batteries

The graceful sailboat with no work and no wait!

- A high-quality fiberglass hull sets the Paradise apart, and is finished in one of six dazzling colors.
- The 2-channel, 2-stick radio delivers precise sail and rudder control.
- When not gliding across the water, the Paradise looks equally elegant displayed on its included stand.



HIGH-PERFORMANCE BOAT ACCESSORIES

METAL PROPS

The easy way to give your boat the competitive edge!

- Ultra-clean casting and true-bore center hubs mean that each prop is near its balance point right out of the box.
- Copper-Beryllium-Titanium material won't crack or shear like plastic, and remains sharper longer with less chipping.
- GrimRacer props hold their shape better, and can be fine-tuned with less effort than stainless steel.



Part Number	Type	Diameter (mm)	Pitch (mm)	Bore (in)
AQUB9700	2-Blade	36	55	1/8
AQUB9715	2-Blade	40	53	3/16
AQUB9720	3-Blade	40	52	3/16
AQUB9725	2-Blade	42	55	3/16
AQUB9755	2-Blade High Lift	38	55	3/16
AQUB9758	2-Blade High Lift	38	63	3/16
AQUB9763	2-Blade High Lift	42	66	3/16
AQUB9765	2-Blade High Lift	44	66	3/16
AQUB9768	2-Blade High Lift	45	68	3/16
AQUB9785	2-Blade	65	100	1/4
AQUB9787	3-Blade	67	105	1/4

RACING ACCESSORIES

Speed Grease Cable Lube



Specially formulated grease reduces friction and wear on flex cable and direct drive systems in electric and nitro boats. AQUB9500

Starting Belts



Tapered to fit on marine engine flywheels, fiber reinforced for durability, and available in 15", 17" and 19" lengths for use on .12- to .91-size engines. AQUB9530, 9531 & 9532

50WT Cable Oil



Specially formulated for marine auto-oil drive systems and comes in an easy-pour 32 oz. bottle. AQUB9550

Water Cooling Jacket

A must for all fast electric boats, this lightweight silicon jacket directs water along the surface of the motor's can for efficient heat removal. PVC tubes are included for connecting to the water cooling line. AQUB9517



Header Cooling Coil

Made of aluminum to wrap around exhaust header to provide cooling. AQUB9213



15/18 Hydro Turn Fin

Adjustable, aluminum turn fins improve straightaway and left/right handling of .12-.18 size hydroplanes. Comes with mounting hardware.




AQUB9515 15/18 Hydro Turn Fin Polished
AQUB9516 15/18 Hydro Turn Fin Blue

Cowl Locks



Lightweight, stainless steel Cowl Locks snap down tight and release easily with just a quick 1/4 turn, and work well on all types of R/C boats. Includes 2 complete sets per package with mounting brackets. AQUB9513

Pro Radio Box Tape



Ideal for sealing radio box lids and hull hatches, this clear 3M tape resists fuel, water, oil, and nitro fuel. Each roll contains 72 yards. AQUB9514

Transom Water Pickup Assembly



Mounts easily to the boat's transom to channel cooling water to the motor. AQUB9520

Other Accessories

AQUB7880 FE Rudder Blade
AQUB7889 Rudder Bracket
AQUB7882 FE Mono Starboard Turn Fin
AQUB9522 FE Mono Port Turn Fin
AQUB9213 Header Cooling Coil
AQUB9501 Slide Cowl Lock (2)
AQUB9502 Waterproof Switch Boot
AQUB9503 Waterproof Radio Box Sealing Boot (2)
AQUB9504 Waterproof Receiver Balloon (2)
AQUB9505 Antenna/Cable Sealing Boot (2)
AQUB9506 Rubber Hull Drain Plug
AQUB9509 Radio Box Foam