Duratrax.





DTXD36**

Length: 18.2 in (465 mm) **Width:** 9.5 in (240 mm) **Height:** 8.7 in (220 mm) Weight: 3 lb (1.36 kg)
Requires: 6C NiCd/NiMH or 7.4V LiPo battery,
(4) "AA" batteries & charger







DTXD37**

Length: 18.5 in (470 mm) Width: 12.8 in (325 mm) Height: 6.1 in (155 mm)

Weight: 3.6 lb (1633 g) Requires: 6-cell 5000mAh NiMH flat pack w/Deans® Ultra Plug® connector, charger & 4 "AA" batteries







Length: 16.1 in (409 mm) Width: 12.9 in (327 mm) Height: 6.6 in (168 mm) Ground Clearance: 1.4 in (36 mm) Weight: 3.6 lb (1.63 kg)

Requires: 6-7 cell NiCd/NiMH battery pack, charger & 8 "AA" batteries







READY-TO-RUN 1/5 SCALE BRUSHLESS EP MOTORCYCLE



- Strong, simple and efficient metal chain drive
- 🐞 Front air shocks and oil-filled steering damper
- High-volume, oil-filled rear shock
- High-grip on-road tires
- Easy-access battery compartment (accepts) **NiCd, NiMH and LiPo packs)**
- Deans® and Ultra Plug® are registered trademarks of W.S. Deans Co.

- 🕸 Factory-finished, race-inspired body and driver
- **№ Tactic™ 2.4GHz 2-channel radio system**
- Powerful 3800kV brushless motor
- Brushless 75A ESC with Deans® Ultra Plug® connector

U.S. Patent No. 5,533,915



08

DTXD04**

Length: 16.75 in (425 mm) Width: 4.25 in (110 mm) Height: 11 in (280 mm)

RTR Weight: 5.5 lb (2.5 kg) Requires: 7.2V NiCd/NiMH or 7.4V LiPo battery & charger







PERFURINGE TIRES

Competition quality at competitive prices.

- Top-end traction that keeps you on the track and racking up laps long after the other guys have limped to the pits
- A wide variety of aggressive tread designs, in both soft C2 and super-soft C3 compounds*
- All tires, mounted tire sets and inserts are sold in pairs; all mounted tires include inserts
- Grooves in each insert conform to the tire's reinforcing rib for added sidewall support and improved handling
- Each tread has a name and a color code, and both are imprinted on the sidewall for fast, easy identification

*For a complete listing of tires and recommended applications, see the Tire Chart at duratrax.com.



Duratrax tires include a one-piece insert molded to fit the wheel. It not only lasts longer and performs better — it eliminates separation!

1/8 SCALE BUGGY TIRES - COMPETITION



X-CUNS 'M

DTXC3610 Mounted C2 White
DTXC3611 Mounted C3 White
DTXC3612 Mounted C2 Yellow
DTXC3613 Mounted C3 Yellow
DTXC3710 Unmounted C2
DTXC3711 Unmounted C3

LINEIIPTM

DTXC3620 Mounted C2 White
DTXC3621 Mounted C3 White
DTXC3622 Mounted C2 Yellow
DTXC3623 Mounted C3 Yellow
DTXC3720 Unmounted C2
DTXC3721 Unmounted C3

SHOTGUNTM

DTXC3625 Mounted C2 White DTXC3626 Mounted C3 White DTXC3627 Mounted C2 Yellow DTXC3628 Mounted C3 Yellow DTXC3725 Unmounted C2 DTXC3726 Unmounted C3

POSSETM

DTXC3630 Mounted C2 White DTXC3631 Mounted C3 White DTXC3632 Mounted C2 Yellow DTXC3633 Mounted C3 Yellow DTXC3730 Unmounted C2 DTXC3731 Unmounted C3

1/8 SCALE BUGGY TIRES - SPORT



LOCKUPTM

DTXC3615 Mounted C2 White DTXC3715 Unmounted C2



DERRINGER™

DTXC3635 Mounted C2 White DTXC3735 Unmounted C2



SPURZTM

DTXC3640 Mounted C2 White DTXC3740 Unmounted C2



Buggy Inserts & Wheels

DTXC3802 Inserts
DTXC3812 White Wheel (4)
DTXC3813 Yellow Wheel (4)





1/8 SCALE TRUGGY TIRES - COMPETITION



X-CONS

DTXC3660 Mounted C2 White DTXC3662 Mounted C2 White-1/2" Offset

DTXC3760 Unmounted C2 DTXC3761 Unmounted C3



POSSE

DTXC3665 Mounted C2 White

DTXC3667 Mounted C2 White-1/2" Offset

DTXC3765 Unmounted C2 DTXC3766 Unmounted C3



Truggy Inserts & Wheels

DTXC3806 Foam Inserts DTXC3816 White (2)

DTXC3817 White-1/2" Offset (2)

DTXC3818 Yellow (2)

DTXC3819 Yellow-1/2" Offset (2)

1/10 SCALE SHORT COURSE TIRES

• The same tough construction as the 1/8 scale buggy and truggy tires, in four of the same proven tread designs, configured for short course applications



LOCKUP SC

DTXC3671

Mounted C2 Black-Slash™ Front DTXC3670

Mounted C2

Black-Slash/Blitz

DTXC3672 Mounted C2 Black-SC10 Front

DTXC3673 Mounted C2

Black-SC10 Rear

DTXC3770 Unmounted C2

LINEUP SC

DTXC3681

DTXC3678 Mounted C2 Black-Slash Front

DTXC3679 Mounted C2

Black-Slash/Blitz

DTXC3680 Mounted C2 Black-SC10 Front

> Mounted C2 Black-SC10 Rear

DTXC3778 Unmounted C2

DTXC3779 Unmounted C3

SHOTGUN SC

DTXC3686 Mounted C2

Black-Slash Front

DTXC3687 Mounted C2 Black-Slash/Blitz

DTXC3688 Mounted C2 Black-SC10 Front

DTXC3689 Mounted C2

Black-SC10 Rear

DTXC3786 Unmounted C2 DTXC3787 Unmounted C3

POSSE SC

DTXC3694 Mounted C2 Black-Slash Front

DTXC3695 Mounted C2

Black-Slash/Blitz DTXC3696 Mounted C2

Black-SC10 Front

DTXC3697 Mounted C2

Black-SC10 Rear

DTXC3794 Unmounted C2 DTXC3795 Unmounted C3

INSERTS & WHEELS



Wheels for Slash & Slash/Blitz

DTXC3808 Tire Insert DTXC3820 White-Slash Front

DTXC3821 Yellow-Slash Front Black-Slash Front DTXC3822 DTXC3823 White-Slash/Blitz Rear

DTXC3824 Yellow-Slash/Blitz Rear DTXC3825 Black-Slash/Blitz Rear



Wheels for SC10

DTXC3826 White Front DTXC3827 Yellow Front DTXC3828 **Black Front** DTXC3829 White Rear DTXC3830 Yellow Rear DTXC3831 Black Rear

Slash™ is a trademark of Traxxas® Corporation. SC10 is a trademark of Associated Electrics



Tools & Accessories

ENGINE TOOLS

Engine Tuning Screwdriver

120 mm hardened steel shaft. 3.2 mm wide magnetized tip. DTXR0185



Engine Tuning Tool

Stores a spare glow plug (not included); includes a piston locking tool. DTXR0187



Clutch Shoe Tool

Crankshaft Locking Tool

Threaded tool locks the piston and crankshaft for easy clutch mods. DTXR1100



Ultimate Flywheel Wrench

Holds flywheel in place while tightening and loosening clutch nuts. Fits 2-4 pin flywheels. DTXR1105



Tool Sets



DTXR0400

- Precision Car Tool Sets feature rubberized handles for increased control
- 15-piece Ultimate Tool Set includes a zippered, book-style case

DTXR0400 Ultimate Tool Set w/Pouch (15 pc.)

DTXR0401 Ultimate Tool Pouch

DTXR0375 Precision Car Tool Set (Metric) (10 pc.) DTXR0380 Precision Car Tool Set (SAE) (10 pc.)

Servo Tape

Sold in 1" x 36" rolls. DTXR1215



Ultimate Body Reamer



Extra-sharp point, razor-sharp flutes and a knurled aluminum handle with protective cap. DTXR1157

DTXR1110

6" Long Nose Pliers

Ideal for wire cutting and stripping, with serrated jaws. DTXR0300



Body Scissors

Curved, stainless steel blades cut through plastics without tearing. DTXR1150



Car Wrenches

- Deluxe Wrench includes 6 socket head sizes; stores up to 4 glow plugs. DTXR1170
- Ultimate Wrench adds a slotted/Phillips screwdriver bit and 19 mm socket for 1/8 car wheel nuts. DTXR1175

Pit Tech™ Camber Gauge

Accurately measures camber settings in 1° increments, from +10° to -10°. DTXR1146



Ozone-safe spray quickly removes dirt and grime from electric motors. 12 fl. oz. DTXC2458



ULTIMATE TOOLS

• Blue-anodized aluminum handles, engraved tip sizes and knurled surfaces.

Sets

DTXR0179 Ultimate Slotted Screwdriver Set (3 pc.) DTXR0183 Ultimate Phillips® Screwdriver Set (3 pc.) DTXR0292 Ultimate Hex Driver Set – Metric (4 pc.) DTXR0297 Ultimate Ball Driver Set (4 pc.)

DTXR0392 Ultimate Hex Driver Set - SAE (4 pc.)

Slotted Screwdrivers

DTXR0176 2 mm DTXR0177 3 mm DTXR0178 4 mm

Crosspoint Screwdrivers

DTXR0180 2 mm DTXR0181 3 mm DTXR0182 4 mm

• Hardened tool steel shafts with precision-ground tips.

Hex Drivers

DTXR0288 1.5 mm DTXR0289 2 mm DTXR0290 2.5 mm DTXR0291 3 mm DTXR0388 0.05" DTXR0389 1/16" DTXR0390 5/64" DTXR0391 3/32"

Ultimate Ball Drivers

DTXR0293 1.5 mm DTXR0294 2 mm DTXR0295 2.5 mm DTXR0296 3 mm







Accessories

Pit-Tech™ Deluxe Car Stands



Workstation features a rotating upper plate with molded rubber insert grips. Base includes an extra-large parts tray.

DTXC2370 Blue
DTXC2371 Orange
DTXC2372 Purple
DTXC2373 Green

Pit Mats





The 5" x 5" is ideal for small parts and hardware. The 29" x 19" has room for your vehicle, heli or small plane, too.

DTXP2045 5" x 5" DTXP2050 29" x 19"

Metric Hardware Sets



Sizes and quantities that modelers use most, organized in a compact, 10-compartment plastic case.

DTXQ0100 Metric Phillips Head Screw Set (200)
DTXQ0125 Metric Socket Head Screw Set (124)
DTXQ0150 Metric Flat Head Screw Set (188)

Body Repair Tape

Flexible, open-weave nylon mesh tape repairs Lexan®, ABS plastic and wood. 2" x 6' (50.8 mm x 1.8 m) roll. DTXR1210



Kwik Ramp™ Portable Jump



Made of impact-resistant, corrugated polymer, with an adjustable angle.

DTXC2375

Track Bags



XL Deluxe is 27" x 14" x 12." 1/8 Deluxe Hauler measures 24.5" x 23" x 19;" features wheels and a retractable handle.

DTXP2011 XL Deluxe
DTXP2012 1/8 Deluxe Hauler Bag

Pit-Tech™ Tire Glue

Specially formulated for rubber tires.

DTXR2000 Thin DTXR2002 Medium

Air Filter Oil

Handy 1.75 fl. oz. (51.7mL) bottle fits easily in a tool box or tote. DTXC2465



Shoe Goo® II

Clear, nonflammable compound dries strong and flexible. Ideal for body repairs, mounting servos, building battery packs and more. DTXC2460

Pit-Tech Threadlocker

Medium strength, 0.2 oz. (5.5 g). DTXR2010



Kwik Trak™ Racing Cones



Set of six 6.5" cones. DTXC2377

Ball Bearings

Bearings are permanently lubricated and Teflon®-sealed to extend life (except DTXC1501, which has metal shields).

- Available in standard and metric sizes, in clamshell-packaged pairs.
- Visit duratrax.com for additional car-specific sets and 10-piece tubes for many sizes.

SAE

DTXC1401 1/8" x 5/16"
DTXC1403 1/8" x 5/16" FL
DTXC1407 1/8" x 3/8"
DTXC1411 5/32" x 5/16"
DTXC1413 3/16" x 5/16" FL
DTXC1417 3/16" x 5/16" FL
DTXC1423 3/16" x 3/8"
DTXC1429 1/4" x 3/8"
DTXC1433 1/4" x 3/8" FL
DTXC1437 3/8" x 5/8"

Metric
DTXC1501 2 mm x 6 mm

DTXC1503 3 mm x 6 mm DTXC1505 3 mm x 6 mm FL DTXC1506 3 mm x 7 mm DTXC1507 4 mm x 7 mm DTXC1509 4 mm x 7 mm FL DTXC1511 4 mm x 8 mm DTXC1517 4 mm x 8 mm FL DTXC1523 5 mm x 8 mm DTXC1527 5 mm x 8 mm FL DTXC1531 5 mm x 9 mm DTXC1535 5 mm x 10 mm DTXC1541 5 mm x 10 mm FL DTXC1547 5 mm x 11 mm DTXC1553 5 mm x 11 mm SS

DTXC1565 5 mm x 10 mm
DTXC1565 6 mm x 10 mm FL
DTXC1569 6 mm x 12 mm
TXC1569 6 mm x 12 mm

DTXC1573 6 mm x 13 mm
DTXC1579 7 mm x 19 mm
DTXC1581 8 mm x 12 mm
DTXC1582 8 mm x 12 mm FL

DTXC1583 8 mm x 14 mm
DTXC1585 8 mm x 16 mm
DTXC1595 10 mm x 15 mm
DTXC1597 12 mm x 18 mm

FL = Flanged; SS = Stainless Steel





AC/DC PEAK CHARGERS

The right choice — for the right features at the right price.

As you compare brands, consider this: Onyx chargers have earned respect from pros, praise from owners and awards from industry magazines. You can spend more — or just enjoy standard-setting Onyx performance and savings.

Onyx chargers for NiCds and NiMHs — models 100, 200, 220 and 240 — range from basics-only to versatile units with LCDs, dual outputs and programmability. Models 230, 235, and 245 add LiPo/LiFe/Lilon compatibility and high-end options such as balancing.

All Onvx chargers feature:

- AC/DC input versatility
- Peak detection for NiCd and NiMH packs
- Multiple charge rates
- Auto-trickle
- Charge port for 4- and 5-cell Rx packs (except Model 230)
- Audio cues for setup progress and problems (except Model 100)
- Safety timer
- Standard connector
- 5-vear limited warranty For complete specifications and a side-by-side charger comparison, please see duratrax.com.

Onyx 100 Peak Charger

- Peak detection and AC/DC operation for the lowest price.
- ullet Selectable charge range from 1A to 4A for small 600mAh "AAA" cells to large sub-C size.

DTXP4190

Onvx 200 Sport Peak Charger

- Handles 4-7 NiCd or NiMH cells with 1.5, 3, and 5A charge current options.
- Adds five ramping LEDs to indicate charge status. DTXP4200

Onyx 210 Peak Charger with LCD

- For 4-8 NiCd or NiMH cells including 8-cell transmitter batteries.
- Easy-to-read LCD with blue backlight.

DTXP4210

Onyx 220 AC/DC Programmable Peak Charger with LCD

- For 4-8 NiCd or NiMH cells.
- Fully adjustable current and many programmable options.
- Advanced reversed LCD with backlight.









Onyx 235 Advanced Balancing Charger with LCD

- Handles 1-10 cell NiCd and NiMH packs, and 1-4 LiPo, Lilon or LiFe cells.
- Built-in balancing maximizes cell voltage and life.
- Standard, Traxxas® High-Current and Deans® Ultra Plug® connectors — plus ElectriFly® and FlightPower®/Thunder Power[™] balancing boards.

Onyx 230 Advanced Charger with LCD

DTXP4235

- Charge 1-8 cell NiCd and NiMH packs and 1-3 LiPo, Lilon or LiFe cells.
- Adjustable charge current from 100mA to 7A.
- Ten battery memories.

DTXP4230

DNYX

Onyx 240 Dual Peak Charger with LCDs

- For 4-8 cell NiCd or NiMH batteries.
- Two independent outputs with identical functions
- Two built-in jacks for charging 4-5 cell Rx or 8-cell Tx packs. DTXP4240



Onvx 245 Dual Balancing Charger with LCDs

- Two independent outlets...both with balancing and lithium-capable!
- Handles 4-8 cell NiCd and NiMH packs or 1-3 LiPo or LiFe cells.
- Standard, Traxxas® High-Current and Deans® Ultra Plug® connectors — plus ElectriFly® and FlightPower®/Thunder Power™ balancing boards.



DTXP4245

Onyx Balancing Boards

DTXP4155 Onvx 235 — ElectriFly DTXP4156 Onyx 235 — FlightPower DTXP4158 Onvx 245 — ElectriFlv DTXP4159 Onyx 245 — FlightPower





Other batteries make charge/discharge rate claims that can't be proven.

Onyx packs are "true" rated — which means they deliver on their performance promises!

Onyx NiMH Packs

DTXC2034 6C 2000mAh Stick w/Deans® U Plug DTXC2035 6C 2000mAh Stick w/Std Plug DTXC2038 6C 2000mAh Stick w/Tra Plug DTXC2045 6C 2500mAh Stick w/Std Plug DTXC2048 6C 2500mAh Stick w/Tra Plug DTXC2049 7C 2500mAh Stick Pack w/Tra Plug DTXC2050 7C 2500mAh Hump Pack w/Tra Plug DTXC2054 6C 3000mAh Stick Pack w/Deans® U Plug DTXC2055 6C 3000mAh Stick Pack w/Std Plug DTXC2056 7C 3000mAh Stick Pack w/Std Plug DTXC2057 7C 3000mAh Hump w/Std Plug DTXC2058 6C 3000mAh Stick w/ w/Tra Plug DTXC2059 7C 3000mAh Stick w/Tra Plug DTXC2060 7C 3000mAh Hump w/Tra Plug DTXC2061 6C 4200mAh Stick w/Std Plug DTXC2062 6C 4200mAh Stick w/Tra Plug DTXC2063 6C 5000mAh Stick w/Std Plug DTXC2064 6C 5000mAh Stick w/Tra Plug DTXC2066 7C 4200mAh Stick w/Tra Plug DTXC2068 7C 5000mAh Stick w/Tra Plug DTXC2070 7C 5000mAh Hump w/Tra Plug



Onyx NiCd Packs

DTXC2010 6C 1800mAh Stick w/Std Plug
DTXC2015 6C 1800mAh Stick w/Tra Plug



Onvx LiPo Packs



 DTXC1864
 7.4V 5000mAh 25C Hard Case w/Deans® U Plug

 DTXC1865
 7.4V 5000mAh 25C Hard Case w/Tra Plug

 DTXC1866
 11.1V 5000mAh 25C Soft Case w/Tra Plug

 DTXC1870
 7.4V 5700mAh 25C Soft Case w/Tra Plug

Power Kit

Includes a 6-cell Onyx™
NiMH battery, AC charger
and 8 "AA" alkalines — the
perfect start-up package for
new electric modelers and
sport use. DTXP4615



Performance, value and selection — the Duratrax battery advantage.

DTX5000 NiMH Packs



DTXC2151 6C 5000mAh Stick w/Deans U Plug
DTXC2153 7C 5000mAh Stick w/Std Plug
DTXC2165 6C 5000mAh Flat w/Deans U Plug
DTXC2182 7C 5000mAh Flat w/Tra Plug
DTXC2183 8C 5000mAh Hump w/Tra Plug

DTX4200 NiMH Packs

DTXC2163 6C 4200mAh Flat w/Deans U Plug DTXC2147 7C 4200mAh Stick w/Std. Plug

DTX3800 NiMH Packs

DTXC2145 6C 3800mAh Stick w/Std Plug
DTXC2162 6C 3800mAh Stick w/Deans U Plug

DTX3600 NiMH Pack

DTXC2142 6C 3600mAh Stick w/Std Plug

DTX4600 NiMH Packs



DTXC2177 7C 4600mAh Hump w/Tra Plug
DTXC2176 7C 4600mAh Stick w/Tra Plug
DTXC2175 6C 4600mAh Stick w/Tra Plug
DTXC2164 6C 4600mAh Flat w/Deans U Plug
DTXC2150 7C 4600mAh Stick w/Std Plug
DTXC2149 6C 4600mAh Stick w/Std Plug

DTX1600 2/3A NiMH Packs



DTXC2186 6C 1600mAh Flat w/Mini Male Plug DTXC2192 6C 1600mAh Stick w/Tra Plug

DTXC2193 6C 1600mAh Stick w/Mini Female Plug

DTX Series 2/3A 6V NiMH Receiver Packs





DTXM2017 6.0V 1600mAh Flat w/Univ Plug

 DTXM2021
 6.0V 1400mAh Stick RC10GT/GP10 w/Univ Plug

 DTXM2026
 6.0V 1400mAh Hump XXX-NT w/Univ Plug

 DTXM2031
 6.0V 1400mAh Hump Off-Road w/Univ Plug

 DTXP2100
 1.2V 750mAh NiMH "AAA" Cells (4)

LiPo Packs

DTXC1814 7.4V 4000mAh 25C w/Deans U Plug DTXC1815 7.4V 4000mAh 25C w/Tra Plug

DTXC1855 7.4V 1600mAh 20C Soft Case w/Mini Plug
DTXC1856 7.4V 1600mAh 20C Soft Case w/Tra Plug

DTXC1860 7.4V 1800mAh 30C Hard Case

CHARGE LEADS, BATTERY LEADS, ADAPTERS & CONNECTORS

Adapters

DTXC2210 Std. to Vendetta Mini Quake™ RS4
DTXC2200 Kyo Charger to Std Battery

Battery Connectors & Sets

DTXC2240 6C Connector Set Kyo/Std
DTXC2250 7.2V Connector Unwired
DTXC2260 Std Battery Connector & Wire
DTXC2280 Kyo Battery Plug & Wire
DTXC2225 Balancing Lead Banana to 4 mm
Bullet Adapter 2S

Charge Leads

DTXC2220 Banana to Std
DTXC2221 Banana to Deans U Male
DTXC2222 Banana to Tra Male
DTXC2223 Banana to Ven MQ CC RS4

Y-Harnesses

DTXC2310 Kyo Battery to Kyo Speed Control
DTXC2320 Kyo Battery to Std Speed Control
DTXC2330 Std. Battery to Kyo Speed Control
DTXC2340 Std. Battery to Std Speed Control

Battery Leads

DTXC2211 Std. to 4 mm Male Bullet

DTXC2212 Deans U Female to 4 mm Male Bullet
DTXC2213 Tra Female to 4 mm Male Bullet

DTXC2213 Ira Female to 4 mm Male Bullet
DTXC2216 Deans U Male to 3.5 mm Bullet

DTXC2217 Tra to 3.5 mm Bullet
DTXC2218 Mini to 3.5 mm Bullet

Legend: Deans U = Deans® Ultra Plug® Connector; Kyo = Kyosho®; Std = Standard; Tra = Traxxas®; Univ = Universal; Ven = Vendetta™ DEANS® and ULTRA PLUG® are registered trademarks of W.S. Deans Co. U.S. Patent No. 5,533,915.



Intellispeed Electronic Speed Controls

Solid buys for brushed motors!

IntelliSpeed ESCs are installation-ready, and great values for both sport driving and racing.

Auto-Sport Forward w/Brake

Ideal for stock racing, sport drivers and 20+ turn motors! DTXM1055

Auto-Sport Forward/Reverse

Offers the same setup ease, plus on/off brake and reverse lockout for racing! For 18+ turn motors. DTXM1059

16T Mild-Modified Reversible

Adds setup versatility with user-settable reverse delay and traction control. For 16+ turn motors DTXM1065

12T Modified Reversible

Offers DTXM1065 versatility for an even wider range of modified motors. For 12+ turn motors DTXM1070

8T Racing Reversible

Great for up-and-coming competitors on a budget! Offers the lowest on-resistance and widest motor range of any IntelliSpeed ESC. For 8+ turn motors. DTXM1075

All IntelliSpeed ESCs feature:

- Proportional forward
- Proportional brake
- Twin setup LEDs
- Traction control
- Weight-saving 5V/1A BEC
- Thermal protection
- On/Off switch
- NiCd/NiMH compatibility
- Installed Futaba® J, bullet & standard connectors
- 120-day warranty

Features of all other ESCs:

DURATRAX.

IntelliSpeed

DTXM1055

- 6-7 cell input
- Push-button setup
- On/Off ABS braking
- Reverse/reverse lockout
- 2 Reverse delay settings
- 3 Traction control settings

Auto-Sport ESCs features:

- Automatic setup
- 4-7 cell input
- Fixed traction control
- Reverse lockout*
- On/Off ABS Brake*

* DTXM1059 only.

Micro Fail-Safe

Prevents runaways due to loss of signal or low Rx battery voltage by reducing the throttle to a setting you select. Sets up with push-button ease and works with 4- and 5-cell NiCd and NiMH packs. Universal connector included. 120-day warranty. DTXM4000



Kwik-Pit™ Universal Starter Box

Twin 550 motors and a durable belt drive offer reliable starting power for 1/8 and 1/10 on- and off-road engines. Ball bearings fight friction and a powder-coated metal case contributes corrosion resistance and good looks. Requires either a 12V, 7Ah field battery or two 6-cell NiCd/NiMH stick packs. Screws and mounts for both included. 90-day warranty. DTXP5701



Kwik-Pit™ Super Start™ RTR

Ball bearings, steel gears and an ultratorque 540 motor provide fast, sure shaft starts for most 1/10 and 1/8 scale vehicles. Includes easy-press on/off switch and "universal" backplate for O.S.® 21VG and 30VG, SuperTigre® .27 and Force .21-.31 engines. 360° and Traxxas TRX 2.5 backplates also available separately.

DTXP6001 Super Start RTR w/360° Backplate (Universal)

DTXP6015 Traxxas® TRX 2.5 DTXP6034 360° Backplate Set 360°



FlashPoint™ Infrared Temperature Gauge

Just point and press for accurate, no-touch temperature readings of engines, motors, batteries and more. Works in seconds, but shuts down after 15 seconds of inactivity to preserve battery power. 1-year warranty. DTXP3100



Twist one way, and it creates a vibrationresistant grip and sends current down the 1-3/4" socket to heat the glow plug. Twist the other way, and it comes free instantly. Includes 1500mAh Sanyo® NiCd, AC charger and vinyl tip cap. 1-year warranty. DTXP3000



Ultimate Glow Starters

All-aluminum Ultra Slim "AA" includes a 1.2V, 1800mAh NiMH cell; polystyrene Ultimates include a rechargeable NiCd and all feature the sure grip of the Twist-and-Lock tip! All include replaceable battery, charger and warranty.

DTXP0320 Ultra Slim "AA" Glow Starter DTXP0310 Ultimate "C" Glow Starter DTXP0315 Ultimate "D" Glow Starter



A squeeze on the clear, plastic body lets you control fuel flow with ease — a 5"-long anodized aluminum spout features a curved tip for no-spill refills and a tip cap to prevent accidental leaks. For glow fuel only.

DTXP0125 250 cc (8.5 fl. oz.) Fuel Bottle DTXP0150 500 cc (17.0 fl. oz) Fuel Bottle







Brushless Motors, ESCs & Systems

SENSORED BRUSHLESS MOTORS

More Power to Get Dirty.™

Motors come and go. But Duratrax brushless motors — they're designed to last. They deliver what more expensive brushless motors promise for less, and do it with the smooth, stutter-free precision that only sensored motors can provide. Combine their 2-pole design with a 2- or 3-cell LiPo pack and you have all the speed and torque you need for any 1/10 scale vehicle. Each one is factory-tested to make sure it's up to specs — and a perfect performance match for the DE10 Brushless ESC.

Current Motor	DTX Motor	Stock #
10-12 turn	DM8.5T 4450kV	DTXC3435
13-turn	DM10.5T 3650kV	DTXC3425
19-turn	DM13.5T 2850kV	DTXC3440
27-turn	DM17.5T 2250kV	DTXC3445



Look for these features in all DTX motors!

- Handwound armatures
- Powerful Neodymium magnets
- Dual precision ball bearings
- Shielded sensor cable with installed connectors
- 180-day limited warranty



BRUSHLESS PROGRAMMABLE ESC

Race-legal — and incredibly programmable!

With 19 programmable features, the DE10 is the most versatile ESC for 1/10 scale in Duratrax history. It offers more fine-tuning power than some high-end ESCs — and offers better value while doing it. It works with brushless motors down to 5.5 turns and brushed motors down to 4 turns. It has reverse and timing advance, but it's also ROAR-legal for racing. DTXM1300

Add the stand-alone Brushless ESC Digital Programmer and you can program like a pro. Functions are spelled out on the LCD for easy reference and programmed with a push-button. And it not only speeds and simplifies programming; it also stores a variety of data for post-race analysis. DTXM1350



Dimensions: 1.3 x 1.5 x 1.0 in (34 x 38 x 26 mm)

Weight: 2.9 oz (83 g)

Wires/Connectors: 13AWG wire w/bullet motor, universal radio and Traxxas and Deans® Ultra Plug® battery connectors.

DE 10



By castle were

Brushless systems can be pricey. The Element, on the other hand, is priced less. Cost makes it an affordable upgrade for all lightweight 2WD off-roaders, including RTRs. But that's just the start. Both the motor and ESC are installation-readv. Sound cues on the ESC speed you through basic setup. There are eight programmable features, and three ways to program: manually; with the Castle™ programming card; or with Castle link software. And then there's the motor: a LiPo-compatible, sensorless powerhouse with torque and speed to spare. DTXC3122

1/10 3900KV BRUSHLESS SYSTEM



Motor
Max Input: 2S LiPo
Dimensions: 1.42 x 1.85 in (36 x 47mm)
Weight: 6.55 oz (185 g)
Wires/Connectors: 13AWG wire
w/bullet connectors

FSC

Input: 6-10 cell NiCd/NiMH 2-3S LiPo BEC: 7.4V/3A @ 2S Input

Max Current Rating: 100A

Dimensions: 1.8 x 1.4 x 0.79 in (46 x 35 x 20 mm)

Weight: 2.0 oz (57 g)

Wires/Connectors: 13AWG wire w/bullet motor, universal radio and Deans® Ultra Plug® battery connectors.



It's easy to keep up with Duratrax!







You can sign up to receive Duratrax E-Bulletins anytime at bestrc.com



Stress-Tech Parts are so durable, they're guaranteed! If any Stress-Tech part breaks during the first year you own your vehicle, DuraTrax will send you a replacement part — FREE!



Compatible with all Futaba FHSS systems, including the 2PL, 3PL and 4PL.



